

Work Order ID 148250

Tuesday, June 28, 2016 8:57:46 AM

148250

Page 1

Item ID: D117-762-011

Accept

N900040100

Setup Start

NS1

Revision ID:

Stop

NS2

Item Name: Skidtube with Standard Wearplates Fits LH or RH

Start Date: 6/15/2016 Start Qty: 1.00

1

Cust Item ID:

Required Date: 6/27/2016 Req'd Qty: 1.00

1

Customer:

Reference:

Approvals:

Process Plan:

Date:

Tooling:

Date:

Run Start

NR1

QC:

Date:

SPC (Y/N):

Date:

Stop

NR2

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
IIN-D117-762	E								
100	Document Control								
100	DOCUMENT CONTROL								
DC	Memo								
Doc.Control -USB or Paperwork	Photocopy bluefile & type labels per PPP D117-762-011								
110	Pick Kit								
110									
Packaging	Memo								
Packaging									
120	QC4- 100% Inspect kits for completeness								
120									
QC	Memo								
Quality Control									

OCT 06 2016

OCT 05 2016

OCT 06 2016

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐																																																													
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval																																																										
Description Work Order Deviation				Disposition				Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval																																																									
Root Cause		FAULT CATEGORY																																																															
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐	Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐	Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐	Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐	Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐	Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐	Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐	Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐	LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐	Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐	Past Expiry Date ☐	Manufacturing Process ☐	OTHER :			
Misidentified ☐	Past Due ☐																																																																

Tuesday, June 28, 2016 8:57:46 AM

148250

Page 2

Accept

N900040100

Setup Start *NS1*

Stop *NS2*

Item Name: Skidtube with Standard Wearplates Fits LH or RH

Start Date: 6/15/2016 **Start Qty:** 1.00 ***1***

Cust Item ID:

Required Date: 6/27/2016 **Req'd Qty:** 1.00 *** 1 ***

Customer:

Reference:

Approvals: **Process Plan:** _____ **Date:** _____ **Tooling:** _____ **Date:** _____

Run Start *NR1*

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

130

0.00

130

Packaging

0.00

Packaging

Memo

Packaging

Identify and pack for shipping as per PPP D117-762-011
Location :FG081

Sold

Code	Qty	
DAS 27		9-89
DAS 28		9-89

OCT 06 2016

140

QC21- Final Inspection - Work Order Release

0.00

140

QC

Memo

0.02

Quality Control

DAS
21
9-89

OCT 07 2016

DAS
21
9-89

OCT 07 2016

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date :	Step #:	QTY Effective :		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY			
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐	Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐	Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐
OTHER : ☐					

Picklist Print

Tuesday, June 28, 2016 8:57:45 AM

Page 1

Work Order ID: 148250

148250

Parent Item: D117-762-011

D117-762-011

Parent Item Name: Skidtube with Standard Wearplates Fits LH or RH

Start Date: 6/15/2016

Required Date: 6/27/2016

Start Qty: 1.00

Required Qty: 1.00

Comments:

IPP Rev:A07.06.11New Issue EC
 IPP Rev:B 08-02-22 change to revA DD verified by:ec
 IPP Rev C 08.12.19 incorporated DSI9435 EC verified by:DD
 IPP REV:D 13.11.14 IIN REV.C DD VERF:JLM IPP
 REV:E 15.06.11 IIN REV.D DD VERF:JLM

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D117-762-041 *D117-762-041* Replacement Skidtube		Manufactured	No			110	Each	0.0000	1	1			DAS 28 9-89
D3512-041 *D3512-041* Wearplate		Manufactured	No			110	Each	14.0000	2	2			DAS 28 9-89
				<u>Location</u>			<u>Loc Qty</u>						
				ST610			14						
					142292		14						
AN6C51A *AN6C51A* BOLT		Purchased	No			110	Each	12.0000	2	2			DAS 28 9-89
				<u>Location</u>			<u>Loc Qty</u>						
				ST333			12						
					134511		12						
D3864-1 *D3864-1* Bushing		Manufactured	No			110	Each	35.0000	4	4			DAS 28 9-89
				<u>Location</u>			<u>Loc Qty</u>						
				ST055			35						
					138204		35						

OCT 05 2016

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐																																																													
Date :		Step #:		QTY Effective :				MRB (QSI042) Approval																																																									
Description Work Order Deviation				Disposition				Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval																																																									
Root Cause		FAULT CATEGORY																																																															
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐	Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐	Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐	Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐	Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐	Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐	Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐	Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐	LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐	Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐	Past Expiry Date ☐	Manufacturing Process ☐	OTHER :			
Misidentified ☐	Past Due ☐																																																																

Picklist Print

Tuesday, June 28, 2016 8:57:45 AM

Work Order ID: 148250

148250

Parent Item: D117-762-011

D117-762-011

Parent Item Name: Skidtube with Standard Wearplates Fits LH or RH

Start Date: 6/15/2016

Required Date: 6/27/2016

Start Qty: 1.00

Required Qty: 1.00

MS21043-6

Purchased

No

110

Each

79.0000

2

2

MS21043-6

NUT

DAS
26
9-89
28
9-89

Smb

Location

Loc Qty

Loc Code

FG	20	
103693	20	
FP001	9	
m134365	5	
m134557	4	
ST302	50	
m134817	50	

910Z 5 0 130

24

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval 		
Description Work Order Deviation				Disposition					
								Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	

Root Cause				FAULT CATEGORY			
Environment ☐	☐	No Re-verification	☐	Pressure/Forced	☐	Temperature/Cure	☐
Design ☐	☐	Operator	☐	Bending	☐	Set-up	☐
Doc/Data ☐	☐	Offset/Setup	☐	Centre Not Concentric	☐	BOM/Route	☐
Equip/Tooling ☐	☐	Supplier	☐	Cracks	☐	Broken/Damage/Defect	☐
Handling/Pre ☐	☐	Training	☐	Crimp/Kink/Ripple/Wave	☐	Inspection Incomplete/Unqualified	☐
Material ☐	☐	Use for Testing	☐	Cuffs	☐	Contamination	☐
Internal Transport ☐	☐	Poor Information	☐	Crushing	☐	Countersink	☐
Tribal Knowledge ☐	☐	Rushing	☐	Heat Treat	☐	Cut Too Short	☐
LOA ☐	☐	Product Improvement	☐	Wave/Twist in Tube	☐	Instructions Incomplete/Unclear	☐
Substation ☐	☐	Process Improvement	☐	Marks/Chatter	☐	Drill Holes	☐
Past Expiry Date ☐	☐	Manufacturing Process	☐	OTHER : _____			
Misidentified ☐	☐	Past Due	☐				

5.0 PARTS LIST

5.1 D117-762-011 Skidtube Parts List

Item	Qty -011	Qty -041	Part Number	Description
	X		D117-762-011	SKIDTUBE INSTALLATION
	1	X	D117-762-041	REPLACEMENT SKIDTUBE
1		1	D3582-041	SKIDTUBE ASSEMBLY
2	2		**1121-51002	SKID SHOE
3	2		**1121-51102	CLAMPING RING
4	8		**LN9380M8X45	HEXAGON BOLT
5	8		**LN9023A8-1.4544.9	LOCKING WASHER
6	8		**LN9025-0815K	WASHER (OR LN9025-0815L)
10		1	*D2965	CAP
11		2	***AELS-1032-225	INSERT
12		2	*AN3C5A	BOLT
13		2	*NAS1149C0332R	WASHER (OR AN960C10L)
20A		1	*D3508-9	WEARPLATE
20B		1	*D3558-9	GASKET
21A		1	*D3508-3	WEARPLATE
21B		1	*D3558-3	GASKET
22A		1	*D3508-11	WEARPLATE
22B		1	*D3558-11	GASKET
23A		1	*D3508-13	WEARPLATE
23B		1	*D3558-13	GASKET
24		36	*AELS-1032-130	INSERT
25	8	28	*AN3C4A	BOLT
26	8	28	*NAS1149C0332R	WASHER (OR AN960C10L)
27	2		D3512-041	WEARPLATE
30		2	*AELS-1032-130	INSERT
31		2	*AN3C4A	BOLT
32		2	*NAS1149C0332R	WASHER (OR AN960C10L)
50	2		AN6C51A	BOLT
51	4		D3864-1	BUSHING
52	2		MS21043-6	NUT

* PART IS INCLUDED WITH D3582-041 SKIDTUBE ASSEMBLY

** TO BE SUPPLIED BY CUSTOMER, LISTED AS REFERENCE ONLY

*** DENOTES PART IS INCLUDED WITH ASSEMBLY ABOVE

DART SERVICE INSTRUCTION

REFERENCE ONLY

TO AMEND INSTALLATION INSTRUCTIONS IIN-D117-762 REV. D AND
INSTRUCTIONS FOR CONTINUED AIRWORTHINESS ICA-D117-762 REV. 3

REF FAA STC: SR01853SE

REF: TC LETTER OF ACCEPTANCE RDIMS-4374899

REF EASA STC: EASA.10017063

1.0 PURPOSE

The purpose of this Dart Service Instruction (DSI) is to replace the ground handling lugs (D3864-1 Bushings, AN6C51A Bolts and MS21043-6 Nuts) on the D145-762-XXX Skidtubes with a structurally superior lug design. This service instruction only affects D145-762-043/-013/-113 Skidtubes at change 004 or earlier and D145-762-045/-015/-115 Skidtubes at change 001. It is highly recommended to install DSI 9731-011 GHU Upgrade Kit in order to prevent early structural failure of the D145-762-XXX Skidtubes. Each DSI 9731-011 GHU Upgrade Kit provides the necessary parts and hardware for installation on one skidtube.

2.0 INSTALLATION

- 2.1 Remove (qty 4) D3864-1 Bushings per Skidtube by removing (qty 2) AN6C51A Bolts and (qty 2) MS21043-6 Nuts
- 2.2 Loosely Install (qty 2) D5300-1 GHU Bushing & (qty 2) D5301-1 GHU Plug wet with Proseal 890 or MIL-S-8802 Class B2 Sealant in location shown in Figure 1.
- 2.3 Install AN6C52A Bolts and (qty 2) MS21043-6 Nuts in accordance with Figure 1. Clean up squeezed out Proseal and apply fillet seal around D5300-1 & D5301-1.
- 2.4 Torque AN6C52A Bolts 160 - 190 In-lbs (18.1 - 21.5 N-m).

3.0 PARTS LIST

QTY -011	PART NUMBER	DESCRIPTION
X	DSI 9731-011	GHU UPGRADE KIT
2	D5300-1	GHU BUSHING
2	D5301-1	GHU PLUG
2	AN6C52A	BOLT
2	MS21043-6	NUT

4.0 WEIGHT AND BALANCE

There is negligible weight and balance change associated with this modification.

A	NEW ISSUE	AP	15.11.02
REV.	DESCRIPTION	BY	DATE
DESIGN	AP	DART AEROSPACE, LTD EUGENE, OR	
DRAWN	AP		
CHECKED	DB	DRAWING NO.	REV.A
MFG. APPR.	N/A	DSI 9731	SHEET 1 OF 2
APPROVED	CH	TITLE	SCALE
DE APPR.	CH	GHU UPGRADE KIT	NTS
DATE	15.11.02	COPYRIGHT © 2015 BY DART AEROSPACE USA, INC THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE, LTD.	